

Off-line Recognition of Unconstrained Handwritten Numerals

Dr. Ghayda Abdul Aziz Al-Talib

Shayma M. Al mashhadany

College of Computers and Mathematics, Mosul University, Mosul, Iraq

Email: ghaydaaltalib@yahoo.co.uk

Email: shayma_mustafa76@yahoo.com

Prof. Mohammed Zeki Khedher

Faculty of Engineering and Technology, Jordan University, Amman Jordan

Email: khedher@ju.edu.jo

Abstract

A fuzzy system for handwritten numerals recognition using a fuzzy Hough transform technique is presented. Membership values are determined as fuzzy sets which are defined on the standard Hough transform vector. Manhattan distance measurement has been used to measure the similarity of an input feature vector to a number of numeral pattern classes. The overall recognition accuracy of the system for the ten numerals is 95%.

1.1-Introduction

Different people write numbers in different shapes. Recognition of handwritten has many practical applications, including mail address and bank check reading. As in any pattern recognition problem, the different approaches to numerals recognition can be classified into two classes: the decision theoretic approach and the structural approach [1]. The decision theoretic approach includes many techniques, such as minimum distance classifier (which is used in this research), matching by correlation, optimum statistical classifier, and multilayer neural networks. In these approaches the recognition is based on the use of a decision function to separate different classes of patterns. These decision theoretic approaches ignore any structural relationship in a pattern's shape. Structural methods, on the other hand

focuses on these inherent relationships and seek to describe certain pattern classes by a formal grammar. The syntactic approach is the most famous approach of the structural class [2].

The variability in handwriting is very large to be characterized by a finite set of rules. One way to deal with variability in handwritten numerals is the use of fuzzy set theory. Fuzzy logic techniques have been used in both decision theoretic approach [3, 4], as well as structural approach [5].

For the recognition of numerals, a suitable feature vector has been extracted via the image matrix of each numeral. The feature vector should be governed by the following conditions [6]:

- 1- Feature vector of two different numerals should contain major differences between them so that the recognition technique can conclude these differences.
- 2- Feature vector of a special numeral written by different handwriting should be the same, as the recognition technique could not find a meaningful difference among them.

There are many different methods to recognize Handwritten Numeral. Sadok and Alouani [1] have used the concept of fuzzy logic in a syntactic method to recognize a handwritten numeral. Harfi and Aghagolzadeh, have used neural network to recognize the numerals over an asymmetrical segmentation pattern to obtain the feature vector[6]. AL-Taani, has proposed a structural approach for recognizing on-line handwritten numerals. The slope is estimated and normalized for adjacent nodes. Based on the changing of signs of the slope values, the primitives are identified and extracted[7]. Jaehwa P. and venu G., described a method that uses an active heuristic function to determine the length of the feature vector as well as the feature themselves were used to classify an input pattern [8].

1.2-Handwritten Indian Numerals description:

In this paper, we consider the description of the numerals used in the eastern Arab countries usually called Indian Numerals. Before being processed by the program, the image is filtered and transformed to a binary image.

A handwritten numeral will be characterized by a certain number of features. The characteristics of each feature as well as the way these features are connected together will make it possible to identify the different shapes of the numeral. We use this terminology to characterize specific points on the outline and to label different types of lines, curves and loops. Those features are useful for handwritten numerals classification:

- Big circles which exist on numerals like ०, १.
- Slant lines in numerals like ४, ५, ६, ७.
- Horizontal lines in numerals like ४, ५.
- Vertical lines in numerals like १, ४, ५, ६, ७, ८.
- Dense circle in numeral like ०.
- Curve in numeral like ३.

According to those features of the outline of numerals, the decision will be taken.

2. Methodology

The central idea underlying the method used in the recognition numerals in this paper is the following: A set of features (22 in the present implementation) that can be computed from a pattern image. The bounding box of a 48 pattern of the input image is divided into 48 images to be processed.

Hough Transform is a standard technique for detecting features as lines and curves in a given image[9]. For line detection, it uses a parameterization to

map an arbitrary straight line in the image plane to a point in the parameter space. In polar coordinates, a straight line can be described via the equation

$$\rho = X \cos \Theta + Y \sin \Theta \quad 0 \leq \Theta < 180 \quad (1)$$

Equation 1 describes a mapping of a point in the Cartesian coordinate X-Y plane to the sinusoidal curve in the polar coordinates ρ - Θ plane.

Where ρ is its distance from the origin, and Θ is the angle of its normal with the X-axis [10].

2.1 line Extraction:

Different lines in each numeral pattern are to be extracted and a number of fuzzy sets are defined to deal with the variation of styles and positions of line segments. All characteristics of the different lines in an image pattern were mapped in to the properties of these fuzzy sets. The fuzzy set defines different patterns of lines like (long line, short line, horizontal line, vertical line, slant line,....etc.)

2.2 Circle Extraction:

Similar basic fuzzy sets are defined on the (a,b,c) accumulator cells for circle extraction using the transform

$$c = (X-a)^2 + (Y-b)^2 \quad (2)$$

where (a,b) denote the center of a circle and c, its radius. The fuzzy sets defined for circle extraction include (large circle, small circle, dense circle, sparse circle,....etc). From the fuzzy sets membership functions definitions, it is seen that a non-null support of the fuzzy set implies the presence of the corresponding feature in a character pattern.

The advantage of using fuzzy set membership functions is that the search space is shortened and only the outputs of i^{th} high membership values

are considered for the search.

2.3 Similarity Measurements:

The recognition of the numerals requires estimation of *Manhattan distance* between the reference image to all other known images in the data base. Each pattern is represented by the feature vector F_i , $i=1,2,3,\dots,p$.

Then the *Manhattan distance* between F_j and other feature vectors is calculated by the absolute values of the distance between all the P pattern from i^{th} input pattern, where summation is done over all the feature elements subscripted by j .

The effect of *Manhattan distance* on the recognition accuracy is based on the minimum value of this distance.

3. The Proposed System

The proposed method for recognizing the handwritten numerals is shown in figure 1. The process can be divided into the following stages:

- 1- Splitting
- 2- Image centering
- 3- Digitization
- 4- Feature vector extraction
- 5- Symmetrical segmentation pattern
- 6- Recognition of numeral.




Figure -1 Block diagram of the proposed system

3.1 Splitting

The input image is entered to the system as a collection of 48 samples of each Arabic numeral (Figure.2), written by 48 different persons. In this stage, the entered image is split into 48 images each for a single numeral.



(Figure 2-a) Input Image




(Figure 2-b) Split Numeral

3.2 Image centering

To recognize a hand-written numeral regardless of position and size, some sort of transformation has to be applied. Alternatively, the position and size of the original numeral can be adjusted to standard values, and then applying the classification to the adjusted image. This process of adjustment is called normalization.

The normalization process only trims the image to the area of the writing. From figure 3 the process first obtains the column and row summation of the image, which are the x and y profiles. The point with the maximum value of each profile is set as the center point. Next, from the center point, it searches left/up until a point in which its value is lower than a specified value and then sets it as the lower point of the profile. Again from the center point, it searches right/down for the higher point of the profile. The new rectangle is formed as $(x_low, y_low, x_high, y_high)$.



(Figure -3) Image centering


Once the input image is split into smaller units, these units are sent to a module which extracts features of the data, essential to the employed shape classification algorithm.

The actual features, however, are lines of different lengths, orientations, and circles of different sizes. The local feature vectors will produce same length vectors associated with each sample.

3.5 Symmetrical Segmentation Pattern

Elongated and skewed handwritten numerals can extensively affect the feature vector. Therefore a symmetrical segmentation pattern presentation is to be found.

With some modification to the current pattern of the numeral, a 16-segment pattern was used, and a counting of the enclosed pixels in every segment was performed (Figure-5).



(Figure-5) Symmetrical Segmentation Pattern


Then a ratio between the numbers of pixels in every segment to the whole number of pixels inscribed in the image has been found.

This pattern in addition to a feature vector was used in the recognition step.

3.6 Recognition of Numerals

Now it is possible to recognize the numerals using two structures: The feature vector and the symmetrical pattern of every numeral.

Each numeral has different shape which was captured by the set of primitives. Each numeral can be described by a specific array of features. Also each numeral has different symmetrical shape. Both have been used to determine to which numeral the primitives collected belong. Figure-6 shows 48 sample of the handwritten numeral 7 as a data base for this numeral with the output result of recognition from the system implemented.



(Figure-6) Recognition Result of the Numeral 7

3.7 Simulation Results


The proposed method was simulated to determine its performance. In

the training procedure, 480 handwritten numerals from 48 different writers were used. The recognition rate of numerals is shown in Table 1.

Table 1 - Recognition Accuracy of Numerals

Numeral	Accuracy %
0	86.7
1	75.4
2	98.1
3	94.3
4	96.2
5	96.2
6	96.2
7	88.6
8	94.2
9	96.1

Figure 7 shows the results of processing of the numeral 5 as given by the program. The recognition accuracy for this numeral is 92.23 %.



(Figure-7) Results of processing for numeral 5

Conclusions

An OCR system using fuzzy logic has been implemented for Indian numeral recognition from a large number of handwritten numerals.

The proposed recognition system performs rotation and scaling – in variant. Therefore, it achieves high flexibility for the hand writer to make sketches freely.

The feature vector and the mapping vector, which characterizes the numeral is used as input to the recognition system. The output of the system is a decision about the foreign numerals. The advantage of fuzzy sets in Hough transform is that it does not reject any feature in the numeral pattern. Also, the output fuzzy sets enable the system to consider shapes which are suitable candidates for final selection from numerals database by using Manhattan distance as a similarity measurement.

Acknowledgement

The authors are grateful for the provision of the data base used in this research from the research performed by Professor Mohammed Zeki Khedher and Dr. Gheith Abandeh with support of Council Scientific Research in Jordan.

References

- [1] Sadok.m.m and Alouani.A.t, "A fuzzy logic based hand written numerical recognition expert system", proc. of 29th south-hampton symposium on system theory (sssT'97), IEEE, 1997.
- [2] Gonzales R.C. and Woods R.E. , "Digital Image Processing ", Addison_ Wesley ,1992.

[3] Lee ,E.T., "An Application Of Fuzzy Sets To The Classification Of Geometric Figure And Chromosome Images "US_Jap.seminer on Fuzzy set and their applications, CA, 1974.

[4] Kekert,W.J.,And Koppeloor H., "Application of Fuzzy Set Theory To Syntactic Pattern Recognition Of Handwritten Capitals", IEEE, SMC_6,pp.148_151,1976

[5] Siyp. And Chen C.S., " Fuzzy Logic For Handwritten Numerical Character Recognition ", IEEE terms .syst. mon. Cybern., pp.570_ 574, 1974.

[6] Harifi A. and Aghagolzadeh A. , "A New Pattern for Handwritten Persian / Arabic Digit Recognition" , Information ,V3 , ISSN ,PP.1305 ,2004.

[7] AL-Taani A.T. , "An Efficient Feature Extraction Algorithm for the Recognition of Handwritten Arabic Digits" , International Journal of Computational Intelligence , 2 , No.2,ISSN ,PP.1304 ,2005.

[8] Jaehwa P. and Venu G. , "Active Character Recognition Using 'A*_like' Algorithm", IEEE ,2000.

[9] Ghayda A.A. Al_Talib , " Fuzzy Logic Based Arabic Optical Character Recognition" , Ph.D. Thesis ,Mosul University, Iraq ,2006.

[10] Shamic Sural And Dad P.K., " Fuzzy Hough Transform And An MLP With Fuzzy Input /Output For Character Recognition ",Fuzzy Sets And

Systems 105,Elsevier Scince,PP.489-497,1999.

[11] Khedher M. Z. and AL-Talib G., "Two Characters Handwritten Arabic Sub-Words Recognition Using Fuzzy Logic ",10th IASTED ,Inter. Conf. On Artificial Intelligence And Soft Computing , Spain, 2006